# **PROTEGE**<sup>TM</sup>

**PORTABLE MULTI-GAS MONITOR** 





## BUILT TOUGH AND EASY TO USE.

Protégé monitor meets all major global regulatory requirements, performs across multiple applications and facilitates protecting the overall safety of workers in hazardous environments.



#### WHEN YOU'VE BEEN PROTECTING LIVES AS LONG AS WE HAVE, ABSOLUTE CONFIDENCE COMES STANDARD.

The Scott name is synonymous with trustworthy protection in the most hazardous environments. The Protégé™ multi-gas monitor is no different. Like our complete line of personal safety equipment, the Protégé monitor is simple to use and incredibly durable, giving industrial workers and first responders alike the confidence to focus on the task at hand. The Protégé monitor is easy to handle in any situation. An intuitive user interface and simple two-button operation make calibration and basic operation virtually thought-free. Protégé software, compatible with Windows, gives administrators the ability to quickly adjust monitor configurations. Its robust construction survives drops while being dust-tight and immersion-resistant. That's why those in charge of worker safety from hazardous gases are completing their safety checklist with yet another tool from Scott.

#### ALL-DAY EASE-OF-USE, FROM CHARGE-UP TO POWER-DOWN.

The Scott Protégé multi-gas monitor is remarkably easy to use, with intuitive features that help users focus on critical situations rather than their equipment. It features automatic calibration and simple PC configuration—along with any-button on and two-button off functions. With Masterdock, calibration is a one-touch operation, facilitating easy maintenance. With a small size, 213g weight and unique hourglass shape, the Protégé monitor is the only portable gas instrument that fits in the palm of your hand. The bright LCD display and wide-angle alarm bars are clearly visible from all positions. And the intelligent memory captures 7,000 significant events for complete analysis of information while enabling users and administrators to focus on the most pertinent information.

#### TOUGHER THAN THE REST.

Its toughness and durability are best-in-class for portable gas monitors. Protection against the intrusion of solid foreign bodies is as good as it gets: dust-tight. And its rating for protection against moisture covers everything from rain to total immersion. With performance levels like these, the Protégé monitor gives you the confidence to do the job right, in everharsher environments.



#### **ACCESSORIES**



PICTURED WITH OPTIONAL SLIP-ON PUMP AND 12-INCH PROBE



PROTÉGÉ MULTI-CHARGER



PROTÉGÉ MASTERDOCK



#### AN ARRAY OF COMPONENTS AND ACCESSORIES

- AC power adapter
- 12-volt car charger
- Optional slip-on pump with: 30cm probe,
   10-foot tubing
- Protégé Multi-Charger
- Protégé Masterdock

CD-based configuration software, quick user guide, owner's manual and interactive user training

#### PROTÉGÉ SOFTWARE ENABLES CUSTOM CONFIGURATIONS

- Alarm set points
- Backlight timer
- Calibration due dates
- No push-button navigation
- No unauthorized changes
- Log archiving in simple Excel format
- For Windows 2000, XP, Vista





The Protégé monitor meets all major global regulatory requirements, performs across multiple applications and facilitates protecting the overall safety of workers in hazardous environments.

### SPECIFICATIONS & ORDERING INFORMATION

#### PROTÉGÉ™ PORTABLE MULTI-GAS MONITOR

**Product Specifications** 

Dimensions 8.3cm h x 7cm w x 3cm d

Weight 213g

Housing ABS/rubber over mold

Calibration
Automatic calibration and zero

Sensors CO: 0 to 999 ppm H<sub>2</sub>S: 0 to 500 ppm

O<sub>2</sub>: 0-25% Combustible: 0-80% LEL

Battery

Lithium ion rechargeable Approximate five-hour charge time Battery life (no pump): 18 hours Battery life (with pump): 12 hours

Alarms

Audible: 90 dB at 6 inches

Visual: Wide-angle dual red alarm bars

Tactile

Operating temperature -20°C to 50°C -(4°F to 122°F)

Operating Humidity 0%-95% RH

EMI/RFI

EMC 89/336/EEC compliant

Protégé Monitor Kits		
Includes gas monitor, charger, torx tool, manual, CD with PC software, USB cable and calibration adapter.		
Part Number	Description	
PRO-1Z2212	O <sub>2</sub> /LEL/CO/H <sub>2</sub> S Gas Monitor Kit	
PRO-2Z2212	O₂/LEL/CO Gas Monitor Kit	
PRO-3Z2212	O <sub>2</sub> /LEL/H <sub>2</sub> S Gas Monitor Kit	
PRO-4Z2212	O₂/LEL Gas Monitor Kit	
PRO-5Z2212	LEL Gas Monitor Kit	

Confined Space Kits		
Includes all the items above, plus pump, probe, tubing and calibration kit in a foam lined carrying case.		
Part Number	Description	
PRO-1Z1111	O <sub>2</sub> /LEL/CO/H <sub>2</sub> S Confined Space Kit	

Protégé Monitor Accessories		
Part Number	Description	
093-0526	Masterdock—automated bump test and calibration station, AC or battery powered. (Utilizes 103L 6D or 58L 8AL or 34L 2AL cylinder.)	
096-3271	Pump Kit (Pump, Probe, Tubing)	
096-3283-1	Six Unit Multi-Charger US	
096-3283-2	Six Unit Multi-Charger UK, Hong Kong & Singapore	
096-3283-3	Six Unit Multi-Charger Europe & South America	
096-3283-4	Six Unit Multi-Charger Asia & Australia	

#### Approvals:

UL: Class 1, Div 1 Groups A,B,C,D T4, CSA\*: Class 1, Div 1 Groups A,B,C,D T4, ATEX: Ex d ia IIC T4, Australia: Ex d ia IIC T4, IP 67 Rated: 3rd-party tested for compliance, EMC: EMC Directive (2004/108/EC) CE Mark \*Approval Pending\*

Scott Safety is a global business unit of Tyco International that supplies a variety of industries through manufacturing facilities located in the United States, United Kingdom, Asia, Finland and Australia.

Pimbo Road • Skelmersdale • Lancashire • England • WN8 9RA Telephone: +44 (0) 1695 711711 • Fax: +44 (0) 1695 711772 www.scottsafety.com • scott.sales.uk@tycoint.com

vww.scottsarety.com • scott.sales.uk@tycoint.com

